

No: C/614/26/GPC-PLKD**22-09-2026****Government Polytechnic College, Kodumbu Post, Palakkad****QUOTATION NOTICE**

Quotation Number	No.13/26 -27
Description	Replacement of Damaged Three Phase Wiring for Electrical Workshop
Due date and time for receipt of quotations	08/10/2026 02:00 PM.
Date and time for opening of quotations	08/10/2026 03:00 PM
Date up to which the rates are to remain firm for Acceptance	31-12-2026
Designation and address of officer to whom the quotation is to be addressed	The Principal, Government Polytechnic College, Kodumbu Post Palakkad 678 551. Phone: 0491-2572640
Superscription-Replacement of Damaged Three Phase Wiring for Electrical Workshop	

Quotations are invited for the Electrical works at Electrical Workshop of this institution as per the schedule attached below/overleaf . The rates quoted should be for supply of the goods and the repair work at the place mentioned below the schedule. The necessary superscription. due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted above, Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned. Quotation not stipulating period of firmness and with price variation clause and / or 'subject to prior sale' condition are liable to be rejected.

The acceptance of the quotations will be subject to the following conditions:

1. Acceptance of the quotation constitutes a concluded contract. Nevertheless, the successful tenderer must within a fortnight/a month after the acceptance of his quotation furnish 5 per cent of the amount of the contract as security deposit and execute an agreement at his own cost for the satisfactory fulfillment of the contract, if so required.

2. Withdrawal from the quotation after it is accepted or failure to supply within a specified time or according to specifications will entail cancellation of the order and purchases being made at the offerers expenses from elsewhere, any loss incurred thereby being payable by the defaulting party. In such an event the Government reserves also the right to remove the defaulter's name from the list of Government suppliers permanently or for a specified number of years.

3. Samples, duly listed, should be forwarded if called for under separate cover and the unapproved samples got back as early as possible by the offerers at their own expenses and the Government will in no case be liable for any expenses on account of the value of the samples or their transport charges, etc. In case, the samples are sent by railway; the railway receipt should be sent separately, and not along with the quotation since the quotation will be opened only on the appointed day and

demurrage will have to be paid if the railway parcels are not cleared in time. Quotations for the supply of materials are liable to be rejected unless samples, if called for of the materials tendered for are forwarded. The approved samples may or may not be returned at the discretion of the undersigned. Samples sent by V.P. Post or "freight to pay" will not be accepted.

4. No representation for enhancement of price once accepted will be considered during the currency of the contract.

5. Any attempt on the part of Quotations or their agents to influence the Officers concerned in their favour by personal canvassing will disqualify the Quotations.

6. If any license or permit is required, Quotations specify in their quotation and also state the authority to whom application is to be made.

7. The quotation may be for the entire or part supplies. But the Quotations should be prepared to carry out such portion of the supplies included in their quotation as may be allotted to them.

8. (a) In cases where a successful tenderer, after having made partial supplies fails to fulfill the contracts in full, all or any of the materials not supplied may, at the discretion of the Purchasing Officer be purchased by means of another tender/quotation or by negotiation or from the next higher tenderer who had offered to supply already and the loss, if any, caused to the Government shall thereby together with such sums as may be fixed by the Government towards damages be recovered from the defaulting tenderer.

(b) Even in cases where no alternate purchases are arranged for the materials not supplied, the proportionate portion of the security deposit based on the cost of the materials not supplied at the rate shown in the tender of the defaulter shall be forfeited and balance alone shall be refunded.

(c) Any sum of money due and payable to the contractor (including Security Deposit returnable to him) under this contract may be appropriated by the Purchasing Officer or Government or any other person authorized by Government and set-off against any claim of the Purchasing Officer or Government for the payment of a sum of money arising out of or under any other contract made by the contractor with the Purchasing Officer or Government or any other person authorized by Government.

9. The prices quoted should be inclusive of all taxes, duties, cesses, etc., which are or may become payable by the contractor under existing or future laws or rules of the country of origin/supply or delivery during the course of execution of the contract.

10. (a) Ordinarily payments will be made only after the supplies are actually verified and taken to stock but in exceptional cases, payments against satisfactory shipping documents including certificates of Insurance will be made up to 90 per cent of the value of the materials at the discretion of Government. Bank charges incurred in connection with payment against documents through bank will be to the account of the contractor. The firms will produce stamped pre-receipted invoices in all cases where payments (advance/final) for release of railway receipts/shipping documents are made through Banks. In exceptional cases where the stamped receipts of the firms are not received for the payments (in advance) the un stamped receipt of the Bank (i.e. counterfoils of pay-in-slips issued by the Bank) alone may be accepted as a valid proof for the payment made.

(b) The tenderers shall quote also the percentage of rebate (discount) offered by them in case the payment is made promptly within fifteen days/within one month of taking delivery of stores.

11. Any sum of money due and payable to the successful tenderer or contractor from Government shall be adjusted against any sum of money due to Government from him under any other contracts.

12. Special conditions, if any, printed on the quotation sheets of the tenderer or attached with the

tender will not be applicable to the contract unless they are expressly accepted in writing by the purchases.

DETAILS OF ITEAM

Sl No	Spec Code	Specefication	Quantity
1	1.34	Supplying and fixing brass batten/ angle holder including connection etc. as required.	3
2	90.3.23.4	Supply, conveyance, installation, testing and commissioning the light fittings of following types made of CRCA sheet .5mm thick with all accessories and lamps etc. suspended from ceiling using 2 nos steel chain (16 SWG or nearest available size) of length not exceeding 30 cm properly hooked to steel hooks anchored to the ceiling and giving connections with required length of 16/0.20mm 3 core copper conductor flex wire conforming to relevant ISS or extending the original wiring and giving connection etc. as required. 1200mm 2X20W LED Lamp with box type fixture	2
3	90.3.23.3	Supply, conveyance, installation, testing and commissioning the light fittings of following types made of CRCA sheet .5mm thick with all accessories and lamps etc. suspended from ceiling using 2 nos steel chain (16 SWG or nearest available size) of length not exceeding 30 cm properly hooked to steel hooks anchored to the ceiling and giving connections with required length of 16/0.20mm 3 core copper conductor flex wire conforming to relevant ISS or extending the original wiring and giving connection etc. as required. 1200mm 1X20W LED Lamp with box type fixture	2
4	90.4.5.4	Supply, Installation, testing and commissioning of ceiling fan of following sizes including wiring the down rods of standard length (up to 30 cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable etc. as required. 1200mm sweep - ceiling fan complete with service value minimum 4.0(cub meter/minute/Watt), Air delivery minimum 210(cubic meter/minute), Copper winding suitable for 230V/240V single phase AC supply	5
5	1.17.3	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required. 3 X 1.5 sq.mm	34
		Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/	

6	1.17.4	PVC conduit as required. 5 X 1.5 Sq. mm	5
7	1.17.7	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required. 7 x 1.5 sq. mm	12
8	1.21.1	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed conduit as required. 20 mm	25
9	1.21.2	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed conduit as required. 25 mm	34
10	1.7.7	Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required 4 X 2.5 sq. mm + 2 X 2.5 sq. mm earth wire	12
11	90.12.7.41	Supply, laying and clamping of 1 no. PVC insulated and PVC sheathed armoured aluminium power cable, 1.1 KV grade of the following sizes using clamps noted along with the cables, spacing of clamps not exceeding 60cms, making good the damages , colour washing etc. as required. 4 core 16 sq mm with factory made clamp	20
12	90.16.1.2	Supply and drawing bare earthing conductors of the following sizes along with wiring/ cables and giving connection as required 2.65 mm copper conductor (12 SWG)	40
13	1.27.6	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc as required. 12 Module (200mmX150mm)	3
14	1.24.1	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amps switch	15
15	1.24.4	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 3 pin 5/6 amp socket outle	3

16	1.25	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	5
17	90.11.1.14	Supply and installation of sheet steel, phosphatised and painted, dust and vermin proof enclosure of MCB DB including copper /brass bus bar, neutral link, earth bus and DIN rail suitable for fixing MCB/ isolator etc. fixed on wall using suitable anchor bolts or fixed in recess including cutting hole on the wall , making good the damages, colour washing etc. as required 4 way (8+12) - double cover TPN vertical DB with provision for fixing 4P MCB / Isolator/ RCCB/ RCBO as incomer and SP/ TP MCB as outgoing (IP 42/43)	1
18	2.10.4	Supplying and fixing 5A to 32 A rating, 240/415 volts, 10 kA, ""C"" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Triple pole	1
19	2.10.1	Supplying and fixing 5A to 32 A rating, 240/415 volts, 10 kA, ""C"" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole	3
20	2.13.1	Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 amps	2
21	2.15.2	Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, residual current circuit breaker (RCCB), having a sensitivity current 30 milli Amperes in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 amps	1

Interested bidders can visit and inspect the area in which the renovation work is to be carried out during working hours, with prior sanction.

1. Quoted price should be exclusive of all taxes and additional costs if any related to transportation, loading-unloading at Government Polytechnic College, Palakkad
2. No change in specification whatsoever is appreciated. Any change in the specification should

be clearly mentioned in the quoted letter for verification purposes.

3. All the rules and regulations prevailing in Govt departments concerning purchase of stores as per the Stores Purchase Rules of Govt of Kerala is applicable for this quotation/purchase.
4. Payment will be made only after satisfactory completion of Work in all manners
5. The work is to be completed within one month from the date of work order
6. BIS standard is to be maintained in all items to be finalized by the approval of this authority
7. Work will be supervised by the experts of this institution
8. All kind of wastes in connection with the work is to be removed by the person /company who is carrying out the work
9. If any clarification is Contact to Shri.M Mithun Tradesman in Electrical Engineering Department of this institution.(Ph.9633966306)
10. The brand/company name of the items which are to intended to use shall be provided

Principal